Contents

No. 1 – 1–132 issued July 1998
No. 2 – 133–232 issued August 1998
No. 3 – 233–344 issued August 1998
No. 4 – 345–448 issued September 1998
No. 5 – 449–558 issued September 1998
No. 6 – 559–688 issued October 1998

Hollenberg CP: Editorial 1

Original papers

Aguilera A → Malagón F
Aiba H → Takahashi H
Akiyama M → Onai K
Albertazzi FJ, Kudla J, Bock R: The *cox2* locus of the primitive angiosperm plant *Acorus calamus:* molecular structure, transcript processing and RNA editing 591
Andrés L → Sangrador A
Annen F, Chang J-L, Paterson AH, Stockhaus J: Characterization of 14 different putative protein kinase cDNA clones of the C4 plant *Sorghum bicolor* 115
Arai R → Noutoshi Y
Aufauvre-Brown A → Brown JS

Babudri N, Marini A, Matmati N, Morpurgo G: The *uvsC* and *uvsE* genes of *Aspergillus nidulans* are not required for the mutagenic repair of UV damage 130
Baier G → Kofler K
Bañuelos O → Casqueiro J
Barseguyan K → Belenkaya T
Basu J, Li Z: The Des-1 protein, required for central spindle assembly and cytokinesis, is associated with mitochondria along the meiotic spindle apparatus and with the contractile ring during male meiosis in *Drosophila melanogaster* 664
Belenkaya T, Barseguyan K, Hovhannisyan H, Biryukova I, Kochieva EZ, Georgiev P: P element sequences can compensate for a deletion of the yellow regulatory region in Drosophila melanogaster 79
Belote J → Cheng L
Bernard S, Clarke DJ, Chen MX, Holland IB, Jacq A: Increased sensitivity of *E. coli* to novobiocin, EDTA and the antical-modulin drug W7 following overproduction of DjlA requires a functional transmem-brane domain 645
Bezděk M → Fulneček J
Bhadra U → Pal Bhadra M
Birchler JA → Pal Bhadra M
Biryukova I → Belenkaya T
Bock R → Albertazzi FJ
Borisov AY → Tsyganov VE
Boutilier KA → Hattori J
Bradshaw JE → Meyer RC
Brown AJP → Dickson LM
Brown JL → Ketela T
Brown JS, Aufauvre-Brown A, Holden DW: Insertional mutagenesis of *Aspergillus fumigatus* 327
Bühring F → Ramezani Rad M
Bussey H → Ketela T

Cano DA → Garzón A
Cano DA → Mouslim C
Capy P → Hua-Van A
Carlson SJ → Chourey PS
Casadesús J → Garzón A
Casadesús J → Mouslim C
Casqueiro J, Gutiérrez S, Bañuelos O, Fierro F, Velasco J, Martín JF: Characterization of the lys2 gene of *Penicillium chrysogenum* encoding · -aminoadipic acid reductase 549
Chang J-L → Annen F
Chen MX → Bernard S
Chen XJ, Hansbro PM, Clark-Walker GD: Suppression of p^0 lethality by mitochondrial ATP synthase F_1 mutations in *Kluyveromyces lactis* occurs in the absence of F_0 457
Cheng L, Roemer N, Smyth K-A, Belote J, Nambu JR, Schwartz LM: Cloning and characterization of Pros45, the *Drosophila SUG1* proteasome subunit homolog 13
Chou J-C, Mulbry WW, Cohen JD: The gene for indole-3-acetyl-L-aspartic acid hydrolase from *Enterobacter agglomerans:* molecular cloning, nucleotide sequence, and expression in *Escherichia coli* 172
Chourey PS, Taliercio EW, Carlson SJ, Ruan Y-L: Genetic evidence that the two isozymes of sucrose synthase present in developing maize endosperm are critical, one for cell wall integrity and the other for starch biosynthesis 88
Chung WI → Lee SH
Clarke DJ → Bernard S
Clark-Walker GD → Chen XJ
Claus H, Frosch M, Vogel U: Identification of a hotspot for transformation of *Neisseria meningitidis* by shuttle mutagenesis using signature-tagged transposons 363
Cohen JD → Chou J-C
Colin M → Remacle C
Collins AJ → Milbourne D
Conner AJ → Vaucheret H
Czeczatka M → Kelin G

Daboussi M-J → Hua-Van A
Daignan-Fornier B → Denis V
Danielson PB, Foster JLM, McMahill MM, Smith MK, Fogleman JC: Induction by alkaloids and phenobarbital of Family 4 Cytochrome P450s in *Drosophila:* evidence for involvement in host plant utilization 54
Denis V, Daignan-Fornier B:Synthesis of glutamine, glycine and 10-formyl tetrahydrofolate is core-gulated with purine biosynthesis in *Saccharomyces cerevisiae* 246
Deyev SM, Yazynin SA, Kuznetsov DA, Jukovich M, Hartley RW: Ribonuclease-charged vector for facile direct cloning with positive selection 379
Dickson LM, Brown AJP: mRNA translation in yeast during entry into stationary phase 282
Diéguez MJ, Vaucheret H, Paszkowski J, Mittelsten Scheid O: Cytosine methylation at CG and CNG sites is not a prerequisite for the initiation of transcriptional gene silencing in plants, but it is required for its maintenance 207
Diep DB → Risøen PA
Doerfler W → Schubbert R
Dohrmann P → Shellman YG
Dombrádi V → Yatzkan E

Eguiraun A → Sangrador A
Ellery AJ → Morton RL
Elmayan T → Vaucheret H
Erdel M → Kofler K
Espinosa JC → Tercero JA

Fehér Z → Yatzkan E
Feoktistova A → Gould KL
Fernández FJ → Honrubia MP
Ferrer P → Ibnsouda S
Fierro F → Casqueiro J
Fleig U → Gould KL
Fogleman JC → Danielson PB
Foss HM, Roberts CJ, Selker EU: Mutations in the *dim-1* gene of *Neurospora crassa* reduce the level of DNA methylation 60
Foster JLM → Danielson PB
Farcasanu IC, Mizunuma M, Hirata D, Miyakawa T: Involvement of histidine permease (Hip1p) in manganese transport in *Saccharomyces cerevisiae* 541
Frosch M → Claus H
Frost LS → Sandercock JR
Fründt C, Meyer AD, Ichikawa T, Meins Jr F: A tobacco homologue of the Ri-plasmid *orf13* gene causes cell proliferation in carrot root discs 559
Fujie M → Noutoshi Y
Fujimori K, Tada S, Kanai S, Ohta D: Molecular cloning and characterization

of the gene encoding N'-[(5'-phosphoribosyl)-formimino]-5-aminoimidazole-4-carboxamide ribonucleotide (BBM II) isomerase from *Arabidopsis thaliana* 216
Fulneček J, Matyášek R, Kovařík A, Bezděk M: Mapping of 5-methylcytosine residues in *Nicotiana tabacum* 5S rRNA genes by genomic sequencing 133

Garzón A, Cano DA, Casadesús J: The P22 Erf protein and host RecA provide alternative functions for transductional segregation of plasmid-borne duplications 39
Gebhardt C → Milbourne D
Georgiev P → Belenkaya T
Gerhardt U → Schubbert R
Gil JA → Honrubia MP
Götz F → Pantel I
Gould KL, Feoktistova A, Fleig U: A phosphorylation site mutant of *Schizosaccharomyces pombe* cdc2p fails to promote the metaphase to anaphase transition 437
Guo Z-F → Li H-Y
Gutiérrez S → Casqueiro J

Haas H → Zhou L-W
Hackett CA → Meyer RC
Hall T → Vaucheret H
Hamada W, Spanu PD: Co-suppression of the hydrophobin gene *HCf-1* is correlated with antisense RNA biosynthesis in *Cladosporium fulvum* 630
Han JS, Kwon HS, Yim J-B, Hwang DS: Effect of IciA protein on the expression of the *nrd* gene encoding ribonucleoside diphosphate reductase in *E. coli* 610
Handberg K → Schauser L
Hansbro PM → Chen XJ
Hartley RW → Deyev SM
Hattori J, Boutilier KA, van Lookeren Campagne MM, Miki BL: A conserved BURP domain defines a novel group of plant proteins with unusual primary structures 424
Håvarstein LS → Risøen PA
Héricourt F → Hua-Van A
Herrmann H → Lauf U
Herrmann RG → Kusnetsov V
Higgins TJV → Morton RL
Hirata D → Farcasanu IC
Hofmann A, Lehmann M: The transcriptional switch between the *Drosophila* genes *Pig-1* and *Sgs-4* depends on a SEBP1 binding site within a shared enhancer region 656
Holden DW → Brown JS
Holland IB → Bernard S
Honda A → Miyao T
Hong SJ, Yi YS, Koh SS, Park OK, Kang HS: Isolation of an extragenic suppressor of the *rna1-1* mutation in *Saccharomyces cerevisiae* 404
Honrubia MP, Fernández FJ, Gil JA: Identification, characterization, and chromosomal organization of the *ftsZ* gene from *Brevibacterium lactofermentum* 97
Hontelez J → Weide R
Hovhannisyan H → Belenkaya T
Horwitz B → Wirsel S
Houlné G, Meyer B, Schantz R: Alteration of the expression of a plant defensin gene by exon shuffling in bell pepper (*Capsicum annuum* L.) 504
Hua-Van A, Héricourt F, Capy P, Daboussi M-J, Langin T: Three highly divergent subfamilies of the impala transposable element coexist in the genome of the fungus *Fusarium oxsporum* 354
Hwang DS → Han JS

Iba K → Ohtsubo T
Ibnsouda S, Ferrer P, Vincent A: Conservation of read-through transcription of the *Drosophila serendipity* genes during evolution is gratuitous 484
Ichikawa T → Fründt C
Inada T → Takahashi H
Inouye S → Miura K
Ishihama A → Miyao T

Jacobs H, Stratmann R, Lehner C: A screen for lethal mutations in the chromosomal region 59AB suggests that *bellwether* encodes the alpha subunit of the mitochondrial ATP synthase in *Drosophila melanogaster* 383
Jacq A → Bernard S
Jansen G → Ramezani Rad M
Jiménez A → Tercero JA
Jukovich M → Deyev SM

Kanai S → Fujimori K
Kanegae T, Wada M: Isolation and characterization of homologues of plant blue-light photoreceptor (cryptochrome) genes from the fern *Adiantum capillus-veneris* 345
Kang HS → Hong SJ
Katagiri S → Onai K
Kelin G, Żmijewski M, Krzewska J, Czeczatka M, Lipińska B: Cloning and characterization of the *dnaK* heat shock operon of the marine bacterium *Vibrio harveyi* 179
Ketela T, Brown JL, Stewart RC, Bussey H: Yeast Skn7p activity is modulated by the Sln1p-Ypd1p osmosensor and contributes to regulation of the HOG pathway 372
Kishima Y → Yamashita S
Klemm P → Schembri MA
Kochieva EZ → Belenkaya T
Köchl S → Kofler K
Kofler K, Köchl S, Parson W, Erdel M, Utermann G, Baier G: Molecular characterization of the human protein kinase C θ^* gene locus (PRKCQ) 398
Koh SS → Hong SJ
Konopa G → Szalewska-Palasz A
Koorneef M → Weide R
Kosch K → Becker BU
Kovařík A → Fulneček J
Krzewska J → Kelin G
Kudla J → Albertazzi FJ
Kulaeva ON → Kusnetsov V
Kuznetsov DA → Deyev SM
Kusnetsov V, Herrmann RG, Kulaeva ON, Oelmüller R: Cytokinin stimulates and abscisic acid inhibits greening of etiolated *Lupinus luteus* cotyledons by affecting the expression of the light-sensitive protochlorophyllide oxidoreductase 21
Kwon HS → Han JS

Langin T → Hua-Van A
Lauf U, Müller C, Herrmann H: The transposable elements resident on the plasmids of *Pseudomonas putida* strain H, Tn*5501* and TN*5502*, are cryptic transposons of the TN*3* family 674
Lebsky VK → Tsyganov VE
Lee IH → Tinsley JH
Lee MH → Lee SH
Lee SH, Lee MH, Chung WI, Liu JR: *WAPK*, a Ser/Thr protein kinase gene of *Nicotiana tabacum*, is uniquely regulated by wounding, abscisic acid and methyl jasmonate 516
Lehmann M → Hofmann A
Lehner C → Jacobs H
Li H-Y, Guo Z-F, Zhu Y-X: Molecular cloning and analysis of a pea cDNA that is expressed in darkness and very rapidly induced by gibberellic acid 393
Li Z → Basu J
Lindgren P-E → Pantel I
Lipińska B → Kelin G
Liu JR → Lee SH
Lorenzo ML → Sangrador A
Lurz R → Szalewska-Palasz A

Majors JE → Reagan MS
Malagón F, Aguilera A:Genetic stability and DNA rearrangements associated with a 2 x 1.1-Kb perfect palindrome in *Escherichia coli* 639
Marini A → Babudri N
Marszalek J, → Szalewska-Palasz A
Martín JF → Casqueiro J
Marzluf GA → Zhou L-W
Matagne RF → Remacle C
Matmati N → Babudri N
Matsuda O → Ohtsubo T
Matyášek R → Fulneček J
McMahill MM → Danielson PB
McNichol JW → Meyer RC
Meins Jr F → Fründt C
Meins Jr F → Ohme-Takagi M
Méndez C → Olano C
Messer W → Szalewska-Palasz A
Metzenberg RL → Randall TA
Meyer AD → Fründt C
Meyer B → Houlné G
Meyer RC → Milbourne D
Meyer RC, Milbourne D, Hackett CA, Bradshaw JE, McNichol JW, Waugh R: Linkage analysis in tetraploid potato and association of markers with quantitative resistance to late blight (*Phytophthora infestans*) 150
Michel J-M → Olano C
Mikami T → Yamashita S

Miki BL → Hattori J
Milbourne D → Meyer RC
Milbourne D, Meyer RC, Collins AJ, Ramsay LD, Gebhardt C, Waugh R: Isolation, characterisation and mapping of simple sequence repeat loci in potato 233
Minke PF → Tinsley JH
Mittelsten Scheid O → Diéguez MJ
Miura K, Inouye S, Nakazawa A: The *rpoS* gene regulates *OP2*, an operon for the lower pathway of xylene catabolism on the TOL plasmid, and the stress response in *Pseudomonas putida* mt-2 72
Miwa J → Nishiwaki K
Miyakawa T → Farcasanu IC
Miyao T, Honda A, Qu Z, Ishihama A: Mapping of Rpb3 and Rpb5 contact sites on two large subunits, Rpb1 and Rpb2, of the RNA polymerase II from fission yeast 123
Mizunuma M → Farcasanu IC
Mlynarova L → Vaucheret H
Morpurgo G → Babudri N
Morton RL, Ellery AJ, Higgins TJV: Downstream elements from the pea albumin 1 gene confer sulfur responsiveness on a reporter gene 309
Morzhina EV → Tsyganov VE
Mouslim C, Cano DA, Casadesús J: The *sfiX, rfe and metN* genes of *Salmonella typhimurium* and their involvement in the Hisc pleiotropic response 46
Mulbry WW → Chou J-C
Müller C → Lauf U
Müller P → Becker BU

Nakabeppu Y → Ohtsubo T
Nakashima H → Onai K
Nakazawa A → Miura K
Nambu JR → Cheng L
Nap J-P → Vaucheret H
Nes IF → Risøen PA
Neubauer H → Pantel I
Nielsen A → Schauser L
Nishiwaki K, Miwa J: Mutations in genes encoding extracellular matrix proteins suppress the *emb-5* gastrulation defect in *Caenorhabditis elegans* 2
Noutoshi Y, Arai R, Fujie M, Yamada T: Structure of the *Chlorella Zepp* retrotransposon: nested *Zepp* clusters in the genome 256

Oelmüller R → Kusnetsov V
Ohme-Takagi M, Meins Jr F, Shinshi H: A tobacco gene encoding a novel basic class II chitinase: a putative ancestor of basic class I and acidic class II chitinase genes 511
Ohta D → Fujimori K
Ohtsubo T, Matsuda O, Iba K, Terashima I, Sekiguchi M, Nakabeppu Y: Molecular cloning of *AtMMH*, an *Arabidopsis thaliana* ortholog of the *Escherichia coli mutM* gene, and analysis of functional domains of its product 577
Olano C, Rodriguez AM, Michel J-M, Méndez C, Raynal M-C, Salas JA: Analysis of a *Streptomyces antibioticus* chromosomal region involved in oleandomycin biosynthesis, which encodes two glycosyltransferases responsible for glycosylation of the macrolactone ring 299
Olsen PB → Schembri MA
Onai K, Katagiri S, Akiyama M, Nakashima H: Mutation of the gene for the second-largest subunit of RNA polymerase I prolongs the period length of the circadian conidiation rhythm in *Neurospora crassa* 264
Ortiz JM → Sangrador A
Oshiro G → Shellman YG

Pajuelo E → Schauser L
Pal Bhadra M, Bhadra U, Birchler JA: Role of multiple *trans*-acting regulators in modifying the effect of the retrotransposon *copia* on host gene expression in *Drosophila* 198
Pantel I, Lindgren P-E, Neubauer H, Götz F: Identification and characterization of the *Staphylococcus carnosus* nitrate reductase operon (*narGHJI*) 105
Park OK → Hong SJ
Parniske M → Becker BU
Parson W → Kofler K
Paszkowski J → Diéguez MJ
Paterson AH → Annen F
Plamann M → Tinsley JH
Postma P → Takahashi H

Qu Z → Miyao T

Ramezani Rad M, Jansen G, Bühring F, Hollenberg CP: Ste50p is involved in regulating filamentous growth in the yeast *Saccharomyces cerevisiae* and associates with Ste11p 29
Ramsay LD → Milbourne D
Randall TA, Metzenberg RL: The mating type locus of *Neurospora crassa:* identification of an adjacent gene and characterization of transcripts surrounding the idiomorphs 615
Raynal M-C → Olano C
Reagan MS, Majors JE: The chromatin structure of the *GAL1* promoter forms independently of Reb1p in *Saccharomyces cerevisiae* 142
Remacle C, Colin M, Matagne RF: Suppression of a +1 T mutation by a nearby substitution in the mitochon-drial cox1 gene of *Chlamydomonas reinhardtii:* a new type of frameshift s uppression in an organelle genome 294
Renz D → Schubbert R
Risøen PA, Håvarstein LS, Diep DB, Nes IF: Identification of the DNA-binding sites for two response regulators involved in control of bacteriocin synthesis in *Lactobacillus plantarum* C11 224
Roberts CJ → Foss HM
Rodriguez AM → Olano C
Roemer N → Cheng L
Ruan Y-L → Chourey PS

Salas JA → Olano C
Sandal N → Schauser L
Sandercock JR, Frost LS: Analysis of the major domains of the F fertility inhibition protein, FinO 622
Sangrador A, Andrés L, Eguiraun A, Lorenzo ML, Ortiz JM: Growth arrest of *Schizosaccharomyces pombe* following overexpression of mouse type 1 protein phosphatases 449
Schantz R → Houlné G
Schauer IE → Shellman YG
Schauser L, Handberg K, Sandal N, Stiller J, Thykjær T, Pajuelo E, Nielsen A, Stougard J: Symbiotic mutants deficient in nodule establishment identified after T-DNA transformation of *Lotus japonicus* 414
Schembri MA, Olsen PB, Klemm P: Orientation-dependent enhancement by H-NS of the activity of the type 1 fimbrial phase switch promoter in *Escherichia coli* 336
Schubbert R, Gerhardt U, Renz D, Doerfler W: On the fate of orally ingested foreign DNA in mice: chromosomal association and placental transmission to the fetus 569
Schwartz LM → Cheng L
Sclafani RA → Shellman YG
Sekiguchi M → Ohtsubo T
Selker EU → Foss HM
Shellman YG, Schauer IE, Oshiro G, Dohrmann P, Sclafani RA: Oligomers of the Cdc7/Dbf4 protein kinase exist in the yeast cell 429
Shinshi H → Ohme-Takagi M
Smith MK → Danielson PB
Smyth K-A → Cheng L
Spanu PD → Hamada W
Speck C → Szalewska-Palasz A
Srutkowska S → Szalewska-Palasz A
Stefanov SY → Tsyganov VE
Stewart RC → Ketela T
Stiller J → Schauser L
Stockhaus J → Annen F
Stougard J → Schauser L
Stratmann R → Jacobs H
Szalewska-Palasz A, Weigel C, Speck C, Srutkowska S, Konopa G, Lurz R, Marszalek J, Taylor K, Messer W, Wegrzyn G: Interaction of the *Escherichia coli* DnaA protein with bacteriophage λ DNA 679
Szöőr B → Yatzkan E

Tada S → Fujimori K
Takahashi H, Inada T, Postma P, Aiba H: CRP down-regulates adenylate cyclase activity by reducing the level of phosphorylated $IIAG^{lc}$, the glucose-specific phosphotransferase protein, in *Escherichia coli* 317
Taliercio EW → Chourey PS
Taylor K → Szalewska-Palasz A
Terashima I → Ohtsubo T

Tercero JA, Espinosa JC, Jiménez A: StgR, a new *Streptomyces alboniger* member of the LysR family of transcriptional regulators 475
Thierry D → Vaucheret H
Thykjær T → Schauser L
Tikhonovich IA → Tsyganov VE
Tinsley JH, Lee IH, Minke PF, Plamann M: Analysis of actin and actin-related protein 3 (ARP3) gene expression following induction of hyphal tip formation and apolar growth in *Neurospora* 601
Tsyganov VE, Morzhina EV, Stefanov SY, Borisov AY, Lebsky VK, Tikhonovich IA: The pea (*Pisum sativum* L.) genes sym33 and sym40 control infection thread formation and root nodule function 491
Turgeon BG → Wirsel S

Utermann G → Kofler K

van der Geest A → Vaucheret H
van Kammen A → Weide R
van Lookeren Campagne MM → Hattori J
Vaucheret H → Diéguez MJ
Vaucheret H, Elmayan T, Thierry D, van der Geest A, Hall T, Conner AJ, Mlynarova L, Nap J-P: Flank matrix attachment regions (MARs) from chicken, bean, yeast or tobacco do not prevent homology-dependent *trans*-silencing in transgenic tobacco plants 388
Velasco J → Casqueiro J
Vincent A → Ibnsouda S
Vogel U → Claus H

Wada M → Kanegae T
Waugh R → Meyer RC
Waugh R → Milbourne D
Wegrzyn G → Szalewska-Palasz A
Weide R, Hontelez J, van Kammen A, Koorneef M, Zabel P: Paracentrometric sequences on tomato chromo-some 6 show homology to human satellite III and to the mammalian CENP-B binding box 190
Weigel C → Szalewska-Palasz A
Wirsel S, Horwitz B, Yamaguchi K, Yoder OC, Turgeon BG: Single mating type-specific genes and their 3′ UTRs control mating and fertility in *Cochliobolus heterostrophus* 272

Yamada T → Noutoshi Y
Yamaguchi K → Wirsel S
Yamashita S, Mikami T, Kishima Y: Tam3 in *Antirrhinum majus is* exceptional transposon in resistant to alteration by the abortive gap repair system: identification of nested transposons 468
Yarden O → Yatzkan E
Yatzkan E, Szőőr B, Fehér Z, Dombrádi V, Yarden O: Protein phosphatase 2A is involved in hyphal growth of *Neurospora crassa* 523
Yazynin SA → Deyev SM
Yi YS → Hong SJ
Yim J-B → Han JS
Yoder OC → Wirsel S

Zabel P → Weide R
Zhou L-W, Haas H, Marzluf GA: Isolation and characterization of a new gene, *sre*, which encodes a GATA-type regulatory protein that controls iron transport in *Neurospora crassa* 532
Zhu Y-X → Li H-Y
Żmijewski M → Kelin G

CORRIGENDUM

Fernández E → Quesada A

Hidalgo J → Quesada A

Quesada A, Hidalgo J, Fernández E: Three *Nrt2* genes are differentially regulated in Chlamydomonas reinhardtii 557

Indexed in *Current Contents*, *Index Medicus* and *EMBASE*